

P25065.A01

**Amendments to the Claims:**

The following listing of claims will replace all prior versions, and listings, of claims in the application.

1. - 9. (canceled)

10. (new) A cosmetic or dermatological composition comprising:

- (a) from 0.1 % to 10 % by weight of a silicone oil;
- (b) from 0.1 % to 15 % by weight of a fatty alcohol;
- (c) from 0.1 % to 4 % by weight of a dicaprylyl ether;
- (d) from 0.1 % to 10 % by weight of an emulsifier selected from one or more or stearic acid and stearates;
- (e) from 0.1 % to 15 % by weight of a moisturizer; and
- (f) from 0.1 % to 7 % by weight of a metal oxide pigment having a particle size of from 5 to 50  $\mu\text{m}$ .

11. (new) The composition of claim 10, wherein the silicone oil comprises at least one of dimethicone and cyclomethicone.

12. (new) The composition of claim 11, wherein the composition comprises from 2 % to 4 % by weight of the silicone oil.

P25065.A01

13. (new) The composition of claim 10, wherein the fatty alcohol comprises at least one of octyldodecanol and myristyl alcohol.

14. (new) The composition of claim 13, wherein the composition comprises from 1 % to 7 % by weight of the fatty alcohol.

15. (new) The composition of claim 10, wherein the emulsifier comprises at least one of stearic acid, glyceryl stearate and sorbitan stearate.

16. (new) The composition of claim 15, wherein the composition comprises from 2 % to 5 % by weight of the emulsifier.

17. (new) The composition of claim 10, wherein the composition further comprises a coemulsifier.

18. (new) The composition of claim 17, wherein the coemulsifier comprises at least one of sorbitan oleate and eucerite.

19. (new) The composition of claim 10, wherein the moisturizer comprises glycerol.

20. (new) The composition of claim 19, wherein the composition comprises from 4 % to

P25065.A01

10 % by weight of the moisturizer.

21. (new) The composition of claim 10, wherein the metal oxide pigment comprises at least one of titanium dioxide, silicon dioxide, tin oxides and iron oxides.

22. (new) The composition of claim 21, wherein the composition comprises from 3 % to 4 % by weight of the metal oxide pigment.

23. (new) The composition of claim 10, wherein the composition comprises at least one of

- (a) from 2 % to 4 % by weight of the silicone oil;
- (b) from 1 to 7 % by weight of the fatty alcohol;
- (c) from 1 % to 4 % by weight of the dicaprylyl ether;
- (d) from 2 % to 5 % by weight of the emulsifier;
- (e) from 4 % to 10 % by weight of the moisturizer; and
- (f) from 3 % to 4 % by weight of the metal oxide pigment.

24. (new) The composition of claim 23, wherein the silicone oil comprises at least one of dimethicone and cyclomethicone.

25. (new) The composition of claim 23, wherein the fatty alcohol comprises at least one of octyldodecanol and myristyl alcohol.

P25065.A01

26. (new) The composition of claim 23, wherein the emulsifier comprises at least one of stearic acid, glyceryl stearate and sorbitan stearate.
27. (new) The composition of claim 26, wherein the composition further comprises at least one of sorbitan oleate and eucerite.
28. (new) The composition of claim 23, wherein the moisturizer comprises glycerol.
29. (new) The composition of claim 23, wherein the metal oxide pigment comprises at least one of titanium dioxide, silicon dioxide, tin oxides and iron oxides.
30. (new) The composition of claim 10, wherein the composition further comprises a self-tanning substance.
31. (new) The composition of claim 30, wherein the self-tanning substance comprises 1,3-dihydroxyacetone.
32. (new) The composition of claim 10, wherein the composition further comprises from 0.1 % to 10 % by weight of at least one skin whitening agent.
33. (new) The composition of claim 10, wherein the composition further comprises from

P25065.A01

1 % to 25 % by weight of at least one repellent agent.

34. (new) The composition of claim 33, wherein the repellent agent comprises ethyl 3-(N-n-butyl-N-acetylamino)propionate.

35. (new) A cosmetic or dermatological composition comprising:

- (a) from 2 % to 4 % by weight of a silicone oil which comprises at least one of dimethicone and cyclomethicone;
- (b) from 1 to 7 % by weight of a fatty alcohol which comprises at least one of octyldodecanol and myristyl alcohol;
- (c) from 1 % to 4 % by weight of a dicaprylyl ether;
- (d) from 2 % to 5 % by weight of an emulsifier which comprises at least one of stearic acid, glyceryl stearate and sorbitan stearate;
- (e) from 4 % to 10 % by weight of a moisturizer which comprises glycerol; and
- (f) from 3 % to 4 % by weight of a metal oxide pigment having a particle size of from 5 to 50  $\mu\text{m}$  and comprising at least one of titanium dioxide, silicon dioxide, tin oxides and iron oxides.

36. (new) An emulsion which comprises the composition of claim 10.

37. (new) The emulsion of claim 36, wherein the emulsion comprises an O/W emulsion.

P25065.A01

38. (new) A body lotion which comprises the composition of claim 10.

39. (new) A face cream which comprises the composition of claim 10.

40. (new) A method of reducing the stickiness of a glycerol-containing cosmetic or dermatological composition, wherein the method comprises incorporating the glycerol in a composition which comprises

- (a) from 0.1 % to 10 % by weight of a silicone oil;
- (b) from 0.1 % to 15 % by weight of a fatty alcohol;
- (c) from 0.1 % to 4 % by weight of a dicaprylyl ether;
- (d) from 0.1 % to 10 % by weight of an emulsifier selected from one or more or stearic acid and stearates;
- (e) from 0.1 % to 15 % by weight of a moisturizer which comprises the glycerol; and
- (f) from 0.1 % to 7 % by weight of a metal oxide pigment having a particle size of from 5 to 50  $\mu\text{m}$ .

41. (new) The method of claim 40, wherein the composition comprises

- (a) from 2 % to 4 % by weight of the silicone oil;
- (b) from 1 to 7 % by weight of the fatty alcohol;
- (c) from 1 % to 4 % by weight of the dicaprylyl ether;
- (d) from 2 % to 5 % by weight of the emulsifier;

P25065.A01

- (e) from 4 % to 10 % by weight of the moisturizer; and
- (f) from 3 % to 4 % by weight of the metal oxide pigment.